

PRODUCT-DETAILS

BA/U1.0.21

BA/U1.0.21 BAU KNX



General Information	
Extended Product Type	BA/U1.0.21
Product ID	2CKA006120A0081
EAN	4011395337400
Catalog Description	BA/U1.0.21 BAU KNX
KNX bus coupler unit for keypad 1- up to 4-fold devices:	
Long Description	- KK/U4.60.xx
Bus connection via enclosed terminal block.	

Installation	
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw

Technical	
Rated Voltage (U _r)	24 V
Rated Current (I _n)	0.02 A
Number of Connections	Number of connections sensor/actuator: 1
Compatible Bus Systems	KNX (TP)

Product Range	KNX
Number of Batteries	0

Material Compliance

RoHS Information	2CKA200000E8340
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -5 ... +45 °C
Degree of Protection	IP20

Dimensions

Product Net Width	59.2 mm
Product Net Height	32.7 mm
Product Net Depth / Length	81.27 mm
Product Net Weight	45 g

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E4842
--------------------------------	-----------------

Classifications

ETIM 9	EC000634 - Bus coupler for bus system
eClass	V11.0 : 27143108
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Bus Coupling Units / Push Button Coupling Units → Bus Coupling Units

