	Runpe	otec Gmbh		Revision nr. 1 Dated 19/07/2016		
			Printed on 19/07/2016			
	Silicone S	pray 400 ml NI		Page n. 1/9		
Safety data sheet						
SECTION 1. Ident	ification of the sub	stance/mixture ar	nd of the company/under	taking		
1.1. Product identifier Code: Product name Chemical name and synor	Code: VSilSpry400NI					
1.2. Relevant identified u Intended use	uses of the substance or r Silicone Spray for G	nixture and uses advise eneral purpose lubrican				
1.3. Details of the suppli Name Full address District and Country	er of the safety data shee	Runpotec Gmbh Irlachstrasse 31 5303 Thalgau Austria Tel. +43 6235 20335 0				
e-mail address of the com responsible for the Safety		Fax +43 6235 20335 3 office@runpotec.com www.runpotec.com				
SECTION 2. Haza						
supplements). The product	thus requires a safety datas	heet that complies with th		(and subsequent amendments and /2006 and subsequent amendments. his sheet.		
Hazard classification and in Aerosol, category 3	dication:	H229	Pressurised container: may	burst if heated.		
2.2. Label elements.						
Hazard labelling pursuant to	EC Regulation 1272/2008	(CLP) and subsequent ar	mendments and supplements.			
Hazard pictograms:						
Signal words:	Warning					
Hazard statements:	Hazard statements:					
H229	Pressurised container: ma	y burst if heated.				
Precautionary statements:						

Runpotec Gmbn	Revision nr. 1 Dated 19/07/2016
Silicone Spray 400 mi Ni	Printed on 19/07/2016 Page n. 2/9

P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P251Do not pierce or burn, even after use.P410+P412Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.	
--	--

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification.	Conc. %.	Classification 1272/2008 (CLP).
CARBON DIOXIDE		
CAS. 124-38-9	4 - 4,5	Substance with a community workplace exposure limit.
EC. 204-696-9		
INDEX		
Propylene carbonate		
CAS. 108-32-7	1 - 1,5	Eye Irrit. 2 H319
EC. 203-572-1		
INDEX. 607-194-00-1		

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

Runpotec Gmbh	Revision nr. 1 Dated 19/07/2016
Silicone Spray 400 ml NI	Printed on 19/07/2016
	Page n. 3/9

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions.

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up.

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities.

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C/122°F, away from any combustion sources.

7.3. Specific end use(s).

Runpotec Gmbh	Revision nr. 1 Dated 19/07/2016
Silicone Spray 400 ml NI	Printed on 19/07/2016 Page n. 4/9
	-

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

Deutschland	MAK-und BAT-Werte-Liste 2012
España	INSHT - Límites de exposición profesional para agentes químicos en
	España 2015
United Kingdom	EH40/2005 Workplace exposure limits
Italia	Decreto Legislativo 9 Aprile 2008, n.81
Sverige	Occupational Exposure Limit Values, AF 2011:18
OELEU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC;
	Directive 2000/39/EC.
TLV-ACGIH	ACGIH 2014
	España United Kingdom Italia Sverige OEL EU

CARBON DIOXIDE

Threshold Limit Value.	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
AGW	DEU	9100	5000	18200	10000
MAK	DEU	9100	5000	18200	10000
VLA	ESP	9150	5000		
WEL	GBR	9150	5000	27400	15000
TLV	ITA	9000	5000		
MAK	SWE	9000	5000	18000	10000
OEL	EU	9000	5000		
TLV-ACGIH		9000	5000	54000	30000

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION None required.

SKIN PROTECTION None required.

EYE PROTECTION Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type B filter combined with a type P filter should be worn (see standard EN 14387).

Runpotec Gmbh	Revision nr. 1
	Dated 19/07/2016
Silicone Spray 400 ml NI	Printed on 19/07/2016
	Page n. 5/9

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Upper explosive limit. Upper explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature.	aerosol colourless odourless Not available. Not applicable. < -10 °C. Not available. > 100 °C. Not available. Not available.
	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information.	

Solid content.	100,0 %
VOC (Directive 2010/75/EC) :	0
VOC (volatile carbon) :	0

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

Runpotec Gmbh	Revision nr. 1 Dated 19/07/2016
Silicone Spray 400 ml NI	Printed on 19/07/2016 Page n. 6/9

Avoid overheating.

10.5. Incompatible materials.

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Runpotec Gmbh	Revision nr. 1 Dated 19/07/2016
Silicone Spray 400 ml NI	Printed on 19/07/2016 Page n. 7/9

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

ADR / RID, IMDG, 1950 IATA:

14.2. UN proper shipping name.

ADR / RID:	AEROSOLS, NON-
	FLAMMABLE
IMDG:	AEROSOLS
IATA:	AEROSOLS, NON- FLAMMABLE

14.3. Transport hazard class(es).

ADR / RID:	Class: 2	Label: 2.2
IMDG:	Class: 2	Label: 2.2
IATA:	Class: 2	Label: 2.2



14.4. Packing group.

ADR / RID, IMDG, _ IATA:

14.5. Environmental hazards.

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user.

ADR / RID:	HIN - Kemler: - Special Provision: -	Limited Quantities: -	Tunnel restriction code: -
IMDG:	EMS: -	Limited Quantities: -	
IATA:	Cargo:	Maximum quantity: -	Packaging instructions: -
	Pass.:	Maximum quantity: -	Packaging instructions: -
	Special Instructions:	-	

Runpotec Gmbh	Revision nr. 1
	Dated 19/07/2016
Silicone Spray 400 ml NI	Printed on 19/07/2016 Page n. 8/9
4.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.	
nformation not relevant.	
SECTION 15. Regulatory information.	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.	
Seveso category. None.	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/20	<u>06.</u>
None.	
Substances in Candidate List (Art. 59 REACH).	
None.	
Substances subject to authorisarion (Annex XIV REACH).	
None.	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None.	
Substances subject to the Rotterdam Convention:	
None.	
Substances subject to the Stockholm Convention:	
None.	
Healthcare controls.	
nformation not available.	
15.2. Chemical safety assessment.	
No chemical safety assessment has been processed for the mixture and the substances it contains.	
SECTION 16. Other information.	

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Aerosol 3	Aerosol, category 3
Eye Irrit. 2	Eye irritation, category 2
H229	Pressurised container: may burst if heated.
H319	Causes serious eye irritation.

LEGEND:

Runpotec Gmbh	Revision nr. 1
·	Dated 19/07/2016
Silicone Spray 400 ml NI	Printed on 19/07/2016
	Page n. 9/9
ADR: European Agreement concerning the carriage of Dangerous goods by Road	
CAS NUMBER: Chemical Abstract Service Number	
CE50: Effective concentration (required to induce a 50% effect) CE NUMBER: Identifier in ESIS (European archive of existing substances)	
CLP: EC Regulation 1272/2008	
DNEL: Derived No Effect Level EmS: Emergency Schedule	
GHS: Globally Harmonized System of classification and labeling of chemicals	
IATA DGR: International Air Transport Association Dangerous Goods Regulation	
IC50: Immobilization Concentration 50% IMDG: International Maritime Code for dangerous goods	
IMO: International Maritime Organization	
INDEX NUMBER: Identifier in Annex VI of CLP	
LC50: Lethal Concentration 50% LD50: Lethal dose 50%	
OEL: Occupational Exposure Level	
PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration	
PEL: Predicted exposure level	
PNEC: Predicted no effect concentration	
REACH: EC Regulation 1907/2006 RID: Regulation concerning the international transport of dangerous goods by train	
TLV: Threshold Limit Value	
TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit	
TWA: Time-weighted average exposure limit	
VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation	
WGK: Water hazard classes (German).	
GENERAL BIBLIOGRAPHY I. Regulation (EU) 1907/2006 (REACH) of the European Parliament	
2. Regulation (EU) 1272/2008 (CLP) of the European Parliament	
B. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament . Regulation (EU) 2015/830 of the European Parliament	
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament	
. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament	
. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament . Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament	
. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament	
The Merck Index 10th Edition Handling Chemical Safety	
INRS - Fiche Toxicologique (toxicological sheet)	
Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition	
ECHA website	
lote for users:	
The information contained in the present sheet are based on our own knowledge on the date of the last moroughness of provided information according to each specific use of the product.	t version. Users must verify the suitability and
his document must not be regarded as a guarantee on any specific product property. he use of this product is not subject to our direct control; therefore, users must, under their own responsite	bility, comply with the current health and safet

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.