

- [Cookie Policy](#)
- [LEDVANCE worldwide](#)
- [Contact](#)

© 2022, LEDVANCE GmbH. All rights reserved.

PRODUKTDATENBLATT

TRUSYS FLEX FEED IN 5P

TruSys® FLEX FEED-IN CONNECTOR | Ersteinspeise-Verbinder für Tragschienen

□

Produkteigenschaften

- Ersteinspeisung 5- und 8-poliger Verbinder

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click [here](#).

HELPFUL CONTENTS

- [Cookie Policy](#)
- [LEDVANCE worldwide](#)
- [Contact](#)

© 2022, LEDVANCE GmbH. All rights reserved.

TECHNISCHE DATEN

Maße & Gewicht

Länge	39,0 mm
Breite	27,0 mm
Höhe	14,0 mm
Produktgewicht	10,00 g



Materialien & Farben

Produktfarbe	Weiß
Gehäusematerial	Polyamid (PA)

Anwendung & Installation

Montageort	Montage-Schiene
------------	-----------------

Zertifikate & Standards

Normen	CE / CB / UKCA / ENEC / EAC
--------	-----------------------------

Zusätzliche Produktdaten

Anmerkung zum Produkt	Verfügbar ab September 2022
-----------------------	-----------------------------

DOWNLOADS

DOWNLOADS	
	User instruction
	User instruction

VERPACKUNGSGEWINNUNGEN

EAN	Verpackungseinheit (Stück pro Einheit)	Abmessungen (Länge x Breite x Höhe)	Bruttogewicht	Volumen
4058075781931	BAG 1	94 mm x 155 mm x 1 mm	17.00 g	0.01 dm³
4058075781948	Versandschachtel 300	440 mm x 440 mm x 260 mm	5510.00 g	50.34 dm³



Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click [here](#).

HELPFUL CONTENTS

- [Cookie Policy](#)
- [LEDVANCE worldwide](#)
- [Contact](#)

© 2022, LEDVANCE GmbH. All rights reserved.

Die genannten Produktnummern beschreiben die kleinste bestellbare Mengeneinheit. Eine Versandeinheit kann mehrere Einzelprodukte beinhalten. Als Bestellmenge verwenden Sie bitte das Ein- oder Mehrfache einer Versandeinheit.

Haftungsausschluss

Änderungen und Irrtümer vorbehalten. Vergewissern Sie sich, dass Sie immer den neuesten Stand verwenden.



Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click [here](#).

HELPFUL CONTENTS