

- [Cookie Policy](#)
- [LEDVANCE worldwide](#)
- [Contact](#)

© 2022, LEDVANCE GmbH. All rights reserved.

PRODUKTDATENBLATT

TRUSYS FLEX FEED OUT BOX 5P WT

TruSys® FLEX FEED-OUT BOX | Ausspeisungsbox

□

Produkteigenschaften

- Ausspeisungsbox 5- und 8-polig



Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click [here](#).

HELPFUL CONTENTS

- [Cookie Policy](#)
- [LEDVANCE worldwide](#)
- [Contact](#)

© 2022, LEDVANCE GmbH. All rights reserved.

TECHNISCHE DATEN

Maße & Gewicht

Länge	296 mm
Breite	92 mm
Höhe	58,0 mm
Produktgewicht	530,00 g

Materialien & Farben

Produktfarbe	Weiß
Gehäusematerial	Stahl/Polycarbonat (PC)

Anwendung & Installation

Montageort	Montage-Schiene
------------	-----------------

Zertifikate & Standards

Normen	CE / CB / UKCA / ENEC / EAC
--------	-----------------------------

Zusätzliche Produktdaten

Anmerkung zum Produkt	Verfügbar ab September 2022
-----------------------	-----------------------------

VERPACKUNGSMITTEL

EAN	Verpackungseinheit (Stück pro Einheit)	Abmessungen (Länge x Breite x Höhe)	Bruttogewicht	Volumen
4058075782013	Faltschachtel 1	358 mm x 100 mm x 70 mm	609.00 g	2.51 dm ³
4058075782020	Versandschachtel 20	685 mm x 510 mm x 167 mm	13769.00 g	58.34 dm ³

Die genannten Produktnummern beschreiben die kleinste bestellbare Mengeneinheit. Eine Versandeinheit kann mehrere Einzelprodukte beinhalten. Als Bestellmenge verwenden Sie bitte das Ein- oder Mehrfache einer Versandeinheit.

Haftungsausschluss

Änderungen und Irrtümer vorbehalten. Vergewissern Sie sich, dass Sie immer den neuesten Stand verwenden.



Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click [here](#).

HELPFUL CONTENTS

- [Cookie Policy](#)
- [LEDVANCE worldwide](#)
- [Contact](#)

© 2022, LEDVANCE GmbH. All rights reserved.



Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click [here](#).

HELPFUL CONTENTS