- Cookie Policy
- <u>LEDVANCE worldwide</u>
- Contact

© 2022, LEDVANCE GmbH. All rights reserved.

SCHEDA TECNICA DEL PRODOTTO TRUSYS FLEX SUSPENSION KIT

TruSys® FLEX SUSPENSION KIT | Sospensione per base elettrificata

Caratteristiche del prodotto

- Set di due sistemi di sospensione regolabili

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.

- Cookie Policy
- LEDVANCE worldwide
- Contact

© 2022, LEDVANCE GmbH. All rights reserved.

DATI TECNICI

DIMENSIONI E PESO

Lunghezza	58,0 mm
Larghezza	35,0 mm
Altezza	65 mm
Peso prodotto	103,00 g

MATERIALE & COLORI

Colore del prodotto	Argento
Materiale del corpo	Acciaio

APPLICAZIONE & INSTALLAZIONE

Posizione di montaggio	Guida di montaggio
------------------------	--------------------

ALTRE CARATTERISTICHE DEL PRODOTTO

Nota a pié pag. utilizzata per prodotto	Disponibile da settembre 2022
---	-------------------------------

DOWNLOAD

DOWNLOAD
User instruction
User instruction

DATI LOGISTICI

Codice prodotto	Unità di imballo (Pezzi/unità)	Dimensioni (lunghezza x profondità x altezza)	Peso lordo	Volume
4058075781795	BAG 2	400 mm x 280 mm x 1 mm	213.00 g	0.11 dm³
4058075781801	Cartone di spedizione 100	440 mm x 440 mm x 180 mm	11045.00 g	34.85 dm ³

Il codice prodotto indicato descrive la minore quantità che può essere ordinata. Una unità di spedizione può contenere uno o più di un singolo prodotto. Quando si inserisce un ordine, per la quantità inserire una o più unità di spedizione.

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.

HELPFUL CONTENTS

- Cookie Policy
- LEDVANCE worldwide
- Contact

© 2022, LEDVANCE GmbH. All rights reserved.

DISCLAIMER

Con riserva di modifiche senza preavviso. Salvo errori o omissioni. Assicurarsi sempre di utilizzare la versione più recente.

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.