- <u>Cookie Policy</u>
- <u>LEDVANCE worldwide</u>
- Contact

© 2022, LEDVANCE GmbH. All rights reserved.

SCHEDA TECNICA DEL PRODOTTO TRUSYS FLEX CHAIN KIT

TruSys® FLEX CHAIN KIT | Staffe di montaggio, preparate per sospensione con catena

Caratteristiche del prodotto

- Set di due staffe di montaggio e uncini a catena

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.

- <u>Cookie Policy</u>
- LEDVANCE worldwide
- <u>Contact</u>

© 2022, LEDVANCE GmbH. All rights reserved.

DATI TECNICI

DIMENSIONI E PESO

Lunghezza	90,0 mm
Larghezza	28,0 mm
Altezza	10,0 mm
Peso prodotto	94,00 g

MATERIALE & COLORI

Colore del prodotto	Argento
Materiale del corpo	Acciaio

APPLICAZIONE & INSTALLAZIONE

Posizione di montaggio	Guida di montaggio
------------------------	--------------------

ALTRE CARATTERISTICHE DEL PRODOTTO

Nota a pié pag	utilizzata	ner	prodotto	
nota a pie pag.	unnzzata	per	prouotio	

Disponibile da settembre 2022

DOWNLOAD

DOWNLOAD
User instruction
User instruction

DATI LOGISTICI

Codice prodotto	Unità di imballo (Pezzi/unità)	Dimensioni (lunghezza x profondità x altezza)	Peso lordo	Volume
4058075781818	BAG 2	150 mm x 150 mm x 1 mm	195.00 g	0.02 dm ³
4058075781825	Cartone di spedizione 140	440 mm x 440 mm x 180 mm	14045.00 g	34.85 dm ³

Il codice prodotto indicato descrive la minore quantità che può essere ordinata. Una unità di spedizione può contenere uno o più di un singolo prodotto. Quando si inserisce un ordine, per la quantità inserire una o più unità di spedizione.

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.

HELPFUL CONTENTS

- Cookie Policy
- LEDVANCE worldwide
- <u>Contact</u>

© 2022, LEDVANCE GmbH. All rights reserved. **DISCLAIMER**

Con riserva di modifiche senza preavviso. Salvo errori o omissioni. Assicurarsi sempre di utilizzare la versione più recente.

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.