- Cookie Policy
- <u>LEDVANCE worldwide</u>
- Contact

© 2022, LEDVANCE GmbH. All rights reserved.

SCHEDA TECNICA DEL PRODOTTO TRUSYS FLEX FEED IN 5P

TruSys® FLEX FEED-IN CONNECTOR | Feed-In connector for mounting rail

Caratteristiche del prodotto

- Connettore di alimentazione 5 e 8 poli

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.

- Cookie Policy
- <u>LEDVANCE worldwide</u>
- Contact

© 2022, LEDVANCE GmbH. All rights reserved.

DATI TECNICI

DIMENSIONI E PESO

Lunghezza	39,0 mm
Larghezza	27,0 mm
Altezza	14,0 mm
Peso prodotto	10,00 g

MATERIALE & COLORI

Colore del prodotto	bianco
Materiale del corpo	Polyamid (PA)

APPLICAZIONE & INSTALLAZIONE

Posizione di montaggio	Guida di montaggio
------------------------	--------------------

CERTIFICATI, NORME E DIRETTIVE

Norme	CE / CB / UKCA / ENEC / EAC

ALTRE CARATTERISTICHE DEL PRODOTTO

Nota a pié pag. utilizzata per prodotto	Disponibile da settembre 2022
---	-------------------------------

DOWNLOAD

DOWNLOAD
User instruction
User instruction

DATI LOGISTICI

Codice prodotto	Unità di imballo (Pezzi/unità)	Dimensioni (lunghezza x profondità x altezza)	Peso lordo	Volume
4058075781931	BAG 1	94 mm x 155 mm x 1 mm	17.00 g	0.01 dm ³
4058075781948	Cartone di spedizione 300	440 mm x 440 mm x 260 mm	5510.00 g	50.34 dm ³

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.

- Cookie Policy
- <u>LEDVANCE worldwide</u>
- Contact

© 2022, LEDVANCE GmbH. All rights reserved.

Il codice prodotto indicato descrive la minore quantità che può essere ordinata. Una unità di spedizione può contenere uno o più di un singolo prodotto. Quando si inserisce un ordine, per la quantità inserire una o più unità di spedizione.

DISCLAIMER

Con riserva di modifiche senza preavviso. Salvo errori o omissioni. Assicurarsi sempre di utilizzare la versione più recente.

Server Error 403: Unauthorised access after multiple incorrect entries

You have repeatedly tried to access a password protected page. Please check your admission details and try again in a moment.

To reach the homepage, please click here.