



CTs and Rogowski






Version 04.06.2023

Product rated current and current transformer

Order Number	Product Designation	Current transformer type (included in delivery)	Cable length
C-04A-WL-080A-CS	CLEMAP Load Management 80A CLEMAP Energy Monitor 80A	SCT-016	2.0 m
C-02RA-WL-080A-XX			
C-04A-WL-125A-CS	CLEMAP Load Management 125A CLEMAP Energy Monitor 125A	SCT-019	2.0 m
C-02RA-WL-125A-XX			
C-04A-WL-200A-CS	CLEMAP Load Management 200A CLEMAP Energy Monitor 200A	SCT-019	2.0 m
C-02RA-WL-200A-XX			
C-04A-WL-400A-CS	CLEMAP Load Management 400A CLEMAP Energy Monitor 400A	SCT-031	2.0 m
C-02RA-WL-400A-XX			
C-04A-WL-01kA-CS	CLEMAP Load Management 1000A CLEMAP Energy Monitor 1000A	Rogowski 1000A/100mV	2.4 m
C-02RA-WL-01kA-XX			
C-04A-WL-02kA-CS	CLEMAP Load Management 2000A CLEMAP Energy Monitor 2000A	Rogowski 1000A/100mV	2.4 m
C-02RA-WL-02kA-XX			
C-04A-WL-06kA-CS	CLEMAP Load Management 6000A CLEMAP Energy Monitor 6000A	Rogowski 1000A/100mV	2.4 m
C-02RA-WL-06kA-XX			

SCT-019 Specification (125A, 200A)

Outline size: (in:mm±0.5)



Connection diagram

Basic technical parameter table:

Input current	Output current	turns ratio	Accuracy	Work frequency	Weight
200A AC	33mA	1:6000	1%	20Hz-1KHz	91g