

Date : lundi 22 décembre 2025

Projet REACH

Cher Client,

Schneider Electric SE et ses filiales (Schneider Electric) ont décidé depuis 2008 de suivre strictement la réglementation Reach N° 1907/2006 à la fois sur la déclaration des Substances Extrêmement Préoccupantes (ci après intitulées SVHC), sur l'autorisation (Annexe XIV) et la restriction (Annexe XVII).

Conformément aux obligations mentionnées à l'article 33 de ladite réglementation, vous trouverez ci-joint les informations, à notre connaissance, les plus à jour sur la présence de SVHC dans les produits Schneider Electric.

Nous serons amenés à faire évoluer ces informations en fonction de l'amélioration de nos connaissances résultant à la fois des informations apportées par nos fournisseurs et de nos propres investigations.

De plus, Schneider Electric a pris en considération la décision de la Court Européenne de Justice du 10 Septembre 2015 ([C-106/14](#)) dans ses déclarations au niveau de chaque article.

En ligne avec sa stratégie environnementale, Schneider Electric et ses filiales ont décidé d'appliquer la réglementation REACH mondialement.

Dans le cadre de la politique environnementale du Groupe, nous nous efforçons continuellement de créer des produits et solutions qui ne présentent pas de risques pour la santé humaine et l'environnement lorsqu'ils sont utilisés dans des conditions conformes à l'usage auquel ils sont destinés au regard de leur documentation fournie par Schneider Electric.

Fort de cet objectif, la volonté de Schneider Electric est de substituer dès que possible les substances SVHC et en priorité celles soumises à autorisation (Annexe XIV) avant leur « sunset date ».

Lors de la mise au rebut des produits, nous vous recommandons de vous tourner vers les filières de traitement appropriés aux produits en question. Dans le cas où le produit ci-dessous est dans le périmètre légal de RoHS, nous attirons votre attention sur le fait que ce document n'est pas une déclaration CE. Pour obtenir la déclaration CE, contactez le [Centre de Contact Clients](#)

Cordialement,

Vanessa MILER-FELS

VP Environment



Global Safety, Environment & Real Estate Senior Vice President
Schneider Electric Industries SAS

Schneider Electric Industries SAS
Postal address / Adresse postale :
Le Hive
35 rue Joseph Monier - CS 30323
F-92506 Rueil Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
<http://www.schneider-electric.com>

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
954 503 439 rcs Nanterre - code APE : 2712Z
Siret : 954 503 439 01719
n°ident. TVA : FR 04 954 503 439
Siège Social ! 35, rue Joseph Monier
F - 92500 Rueil-Malmaison

Sauf indication contraire, les données affichées dans ce tableur se rapportent au Date Code de production suivant : 52/2025 (Semaine / Année)

Sauf indication contraire, les données affichées dans ce tableur se rapportent à la version suivante de la réglementation REACH : June 2025 candidate list



Réf. commerciale :	EVH5A22N2S
Gamme :	Schneider Charge
Marque :	Schneider Electric
Désignation :	Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S
SCIP ID :	ab6451be-b3f4-4070-b9b6-e8f0e546f1eb

Dans ce produit, pas de substance de l'annexe XVII de la réglementation Reach utilisée dans le périmètre de l'interdiction. Cela inclus par exemple l'amiante, les hydrocarbures aromatiques polycycliques (PAH) ou les polychlorobiphényles (PCB)...

According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC are present in this product above 0,1% threshold at part level.

Our products are safe from a chemical exposure perspective, under normal conditions of use. If any specific Safe conditions of use, you will find more details in the table.

For specific End of Life recommendations, please look at Product End of Life instructions according to WEEE document.

Part	SVHC content	CAS number	EC number	Specific Safe conditions of use
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	orthoboric acid, sodium salt	-	-	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Boric acid	10043-35-3	233-139-2	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Melamine	108-78-1	203-615-4	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.

<p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p>	<p>Disodium tetraborate, anhydrous</p>	<p>1330-43-4</p>	<p>215-540-4</p>	<p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p>
<p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p>	<p>Boric acid, Disodium salt</p>	<p>12267-73-1</p>	<p>235-541-3</p>	<p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p>
<p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p>	<p>Diboron trioxyde</p>	<p>1303-86-2</p>	<p>215-125-8</p>	<p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p>
<p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p>	<p>Dodecamethylcyclohexasiloxane (D6)</p>	<p>540-97-6</p>	<p>-</p>	<p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p>
<p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p>	<p>Disodium octaborate</p>	<p>12008-41-2</p>	<p>-</p>	<p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p>

This product includes metallic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead	7439-92-1	-	None
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Alkanes, C10-13, chloro	85535-84-8	287-476-5	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Tris(2-chloroethyl)phosphate	115-96-8	204-118-5	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level.	Disodium tetraborate, anhydrous	1330-43-4	215-540-4	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level.	Diboron trioxyde	1303-86-2	215-125-8	None
This product includes Plastic part(s) that contain(s) the following substance(s)	Pyrochlore, antimony lead yellow	8012-00-8	232-382-1	This product is safe from chemical exposure perspective, under normal

above the threshold at part level.				conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead bis(tetrafluoroborate)	13814-96-5	237-486-0	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead dinitrate	10099-74-8	233-245-9	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	PZT	12626-81-2	235-727-4	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead monoxide (lead oxide)	1317-36-8	215-267-0	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s)	Trilead bis(carbonate)dihydroxide	1319-46-6	215-290-6	This product is safe from chemical exposure perspective, under normal

above the threshold at part level.				Nevertheless, regular and prolonged direct contact are not recommended.
In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level.	dimethyl formamide	68-12-2	200-679-5	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead oxide sulfate	12036-76-9	234-853-7	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead titanate	12060-00-3	235-038-9	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Tetralead trioxide sulphate	12202-17-4	235-380-9	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Orange lead (lead tetroxide)	1314-41-6	215-235-6	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and

				prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Sulfurous acid, lead salt, dibasic	62229-08-7	263-467-1	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead cyanamidate	20837-86-9	244-073-9	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead di(acetate)	301-04-2	206-104-4	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Decamethylcyclopentasiloxane (D5)	541-02-6	-	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level.	Terphenyl hydrogenated	61788-32-7	-	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and

				prolonged direct contact are not recommended.
This product includes part(s) that contain(s) the following substance(s) above the threshold at part level.	Disodium octaborate	12008-41-2	-	Check with experts for safe use conditions from chemical exposure perspective and EoLi recommendations
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	Lead	7439-92-1	-	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level.	4,4-Isobutylethylidenediphenol	6807-17-6	401-720-1	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.	2-benzyl-2-dimethylamino-4-morpholinobutyrophenone	119313-12-1	404-360-3	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.
In this product, the PCBA includes electronic components that contain the following substance(s) above the threshold at component level.	orthoboric acid, sodium salt	-	-	This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.

<p>This product includes Plastic part(s) that contain(s) the following substance(s) above the threshold at part level.</p>	<p>Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide</p>	<p>75980-60-8</p>	<p>278-355-8</p>	<p>This product is safe from chemical exposure perspective, under normal conditions of use. Nevertheless, regular and prolonged direct contact are not recommended.</p>
--	--	-------------------	------------------	---