



LED WORKLIGHT S-STAND






IP65




IP55


	EAN	W	lm Light Source	lm Output	K	°C (°C)	V~	mA	Hz	PF	∇(°)	
LED WORKLIGHT 20W S-STAND CH PLUG	4099854000294	20	1800	1700	4000	-20...+45	220- 240	92	50/60	>0.9	120	100000
LED WORKLIGHT 30W S-STAND CH PLUG	4099854000607	30	2900	2700	4000	-20...+45	220- 240	145	50/60	>0.9	120	100000
LED WORKLIGHT 50W S-STAND CH PLUG	4099854000621	50	4800	4500	4000	-20...+45	220- 240	220	50/60	>0.9	120	100000




2



3



4



	EAN	This product contains a light source of energy efficiency class	Contained Light Source
LED WORKLIGHT 20W S-STAND CH PLUG	4099854000294	F	
LED WORKLIGHT 30W S-STAND CH PLUG	4099854000607	F	
LED WORKLIGHT 50W S-STAND CH PLUG	4099854000621	F	



Points de collecte sur www.quefairedemesdechets.fr

C10449057
G11143464
27.05.2022



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com