

ToLEDo Mirage G120 125LM E27 SL

Code article 0029908


SYLVANIA



A perfect choice for hospitality, decorative and mood lighting applications Unique and innovative lamp design and construction Low-lumen output to create the low-lit effect and gives no glare Low power construction: only 2.5W Perfect for SylPendant fixtures - a range of unique and elegant E27 lamp pendants, available in copper, brass, black and white finish Candlelight 2000K colour temperature creates a warm and cosy ambience High colour rendering – CRI80 High quality, scratch and temperature resistant golden tinted glass envelope 25,000 hours of average rated life. Last 25 times longer than incandescent lamps Omni-directional light distribution Non-dimmable More than 100,000X switching cycles 3 years warranty

Atouts techniques

Dimensions (mm)



Photométrie

ToLEDo Mirage G120 125LM E27 SL

Code article 0029908

SYLVANIA

Données générales

Nom du produit	ToLEDo Mirage G120 125LM E27 SL
Technologie	LED
Puissance (nominale) (W)	2.5
Cap/Base	E27
Fixture rating	Open
General application	Residential & Consumer
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
Numéro virtuel FI	4740678
Warranty	3 ans

Données optiques

Useful luminous flux (Φuse)	125
Flux lumineux utile (nominal) (lm)	125
Température de couleur (K)	2000
Couleur de lumière	Candlelight
IRC (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Photobiological Risk Group	RG0
Maintien du flux à la fin de la durée de vie nominale (lm)	70

Caractéristiques électriques

Power consumption (W)	2.5
Wattage (W)	2.5
Equivalent watt (W)	13
Heure de démarrage (max) (s)	0.5
Temps de préchauffage jusqu'à 60 % de la pleine lumière (max) (s)	1
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Lamp power factor	0.5
Control gear required	No
No. Of switching cycles before premature failures	>100000
Dimmable	No
Courant d'appel (A)	0.2
Inrush Duration (μs)	8000
Lamp Energy Label (class)	G
Nominal Frequency (Hz)	50/60Hz

Durée de vie

Lifespan L70 B50	25000
Average life (Nominal) (h)	25000
Durée de vie moyenne (nominale) (h)	25000

Données physiques

Longueur (mm)	165
Nominal Product Diameter (mm)	125
Poids (kg)	0.14

ToLEDo Mirage G120 125LM E27 SL

Code article 0029908

SYLVANIA

Emballage

Product EAN number	5410288299082
Longueur simple de l'emballage (cm)	17.8
Largeur simple de l'emballage (cm)	13.2
Packaging single depth (cm)	13.2
DUN14 (inner)	15410288299089
Units per outer package	4
Packaging outer length / height (cm)	28.0
Packaging outer width (cm)	28.0
Packaging outer depth (cm)	20.5

Sécurité

Condition de fonctionnement optimal (° C)	-20-40
Consignes de nettoyage en cas de bris	Not applicable
Lampe à objectif spécial	No
Utilisation pour applications sèches uniquement	Yes
Ne convient pas à l'éclairage résidentiel	Yes
Safety message	Not Suitable for totally enclosed fixtures