

ToLEDo BALL 470LM 865 E14 SL

Code article 0030869

SYLVANIA



Compact and elegant design
Suitable replacement for halogen, incandescent and compact fluorescent lamps
Instant light at the flick of a switch
Uniform light distribution
Good colour rendering (CRI 80)
Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
Lower maintenance costs
15,000 hours average rated life

Atouts techniques

Dimensions (mm)



Photométrie

ToLEDo BALL 470LM 865 E14 SL

Code article 0030869

SYLVANIA

Données générales

| | |
|---------------------------------|---------------------------------|
| Nom du produit | ToLEDo BALL 470LM 865 E14 SL |
| Technologie | LED |
| Lamp shape | Pear-shape |
| Cap/Base | E14 |
| Lamp finish | Opal |
| Built in presence detector | NONE |
| Fixture rating | Open |
| General application | Residential & Consumer |
| Virtual assistant compatibility | N/A |
| ETIM Class | EC001959 |
| Numéro virtuel FI | 4741286 |
| Warranty | 3 ans |

Données optiques

| | |
|---------------------------------------|----------|
| Useful luminous flux (Φ_{use}) | 470 |
| Température de couleur (K) | 6500 |
| Couleur de lumière | Daylight |
| IRC (Ra) | 80 |
| Colour Variation Initial (SDCM) | SDCM6 |
| Beam Angle (°) | 150 |
| Photobiological Risk Group | RG1 |

Caractéristiques électriques

| | |
|---|-----------------------------|
| Power consumption (W) | 4.2 |
| Wattage (W) | 4.2 |
| Equivalent watt (W) | 40 |
| Actuel (A) | 0.04 |
| Primary Supply/Product voltage - min (V) | 220.0 |
| Primary Supply/Product voltage - max (V) | 240.0 |
| Control gear required | No |
| Type d'appareillage | LED driver constant current |
| No. Of switching cycles before premature failures | >50000 |
| Dimmable | No |
| Dimming method | N/A |
| Courant d'appel (A) | 5.5 |
| Inrush Duration (μ s) | 125 |
| Lamp Energy Label (class) | E |
| Nominal Frequency (Hz) | 50/60Hz |

Durée de vie

| | |
|------------------|-------|
| Lifespan L70 B50 | 15000 |
|------------------|-------|

Données physiques

| | |
|-------------------------------|-------|
| Housing colour | White |
| IP rating | IP20 |
| Nominal Product Height (mm) | 82 |
| Nominal Product Diameter (mm) | 45 |
| Poids (kg) | 0.016 |

ToLEDo BALL 470LM 865 E14 SL

Code article 0030869

SYLVANIA

Emballage

| | |
|--------------------------------------|----------------|
| Product EAN number | 5410288308692 |
| Longueur simple de l'emballage (cm) | 5.0 |
| Largeur simple de l'emballage (cm) | 5.0 |
| Packaging single depth (cm) | 9.5 |
| DUN14 (inner) | 15410288308699 |
| Units per outer package | 6 |
| Packaging outer length / height (cm) | 15.8 |
| Packaging outer width (cm) | 10.7 |
| Packaging outer depth (cm) | 10.7 |

Sécurité

| | |
|---|--|
| Consignes de nettoyage en cas de bris | Not applicable |
| Lampe à objectif spécial | No |
| Utilisation pour applications sèches uniquement | Yes |
| Ne convient pas à l'éclairage résidentiel | Yes |
| Safety message | Not Suitable for totally enclosed fixtures |