

ToLEDo T8 V4 2FT 900LM 840 25K

Code article 0029300


SYLVANIA



Energy efficient and affordable LED T8 solution to replace conventional fluorescent T8 lamps
Omni-directional uniform light distribution thanks to glass tube construction design, same as traditional fluorescent T8 tubes
Lumen output - 900lm
High lumen efficacy - 100 lm/W
Switching cycles - 100,000X
Average rated life 25,000 hours
Lamp length - 600mm
Wide beam angle
Suitable for general illumination in offices, supermarkets, department stores, parking lots
Suitable for operation with electromagnetic gears/CCG and direct mains operation (220-240V)
2-Year warranty

Atouts techniques

Dimensions (mm)



Photométrie

ToLEDo T8 V4 2FT 900LM 840 25K

Code article 0029300

SYLVANIA

Données générales

Nom du produit	ToLEDo T8 V4 2FT 900LM 840 25K
Technologie	LED
Puissance (nominale) (W)	9
Lamp shape	Tube, double-ended
Cap/Base	G13
Lamp finish	Opal
Fixture rating	Open
General application	Education, Logistics & Industry, Office, Residential & Consumer
Operating temperature range (°C)	-20°C...+45°C
Performance ambient temperature Tq (°C)	25
Virtual assistant compatibility	N/A
ETIM Class	EC001959
Numéro virtuel FI	4941319
Warranty	2 ans

Données optiques

Useful luminous flux (Φ_{use})	900
Flux lumineux utile (nominal) (lm)	900
Température de couleur (K)	4000
Couleur de lumière	Cool White
IRC (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Beam Angle (°)	180
Photobiological Risk Group	RG0
Maintien du flux à la fin de la durée de vie nominale (lm)	70

Caractéristiques électriques

Power consumption (W)	9
Wattage (W)	9
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Lamp power factor	0.5
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimmable	No
Courant d'appel (A)	4
Inrush Duration (μ s)	420
Lamp Energy Label (class)	F
Nominal Frequency (Hz)	50/60Hz
Max. products per 16A C Breaker	40
Max. products per 16A B Breaker	20

Durée de vie

Lifespan L70 B50	25000
Average life (Nominal) (h)	25000
Durée de vie moyenne (nominale) (h)	25000

Données physiques

IP rating	IP20
Longueur (mm)	604
Nominal Product Diameter (mm)	28
Poids (kg)	0.092

ToLEDo T8 V4 2FT 900LM 840 25K

Code article 0029300

SYLVANIA

Emballage

Product EAN number	5410288293004
Longueur simple de l'emballage (cm)	64.6
Largeur simple de l'emballage (cm)	2.8
Packaging single depth (cm)	2.8
DUN14 (inner)	15410288293001
Units per outer package	10
Packaging outer length / height (cm)	68.0
Packaging outer width (cm)	16.3
Packaging outer depth (cm)	8.5

Sécurité

Condition de fonctionnement optimal (° C)	-20-45
Consignes de nettoyage en cas de bris	Not applicable
Lampe à objectif spécial	No
Ne convient pas à l'éclairage résidentiel	Yes
Safety message	Not Suitable for totally enclosed fixtures